Guess a possible non-homog soln for the following DEs:

Note homogeneous solution to y'' - 4y' - 5y = 0 is  $y = c_1 e^{-t} + c_2 e^{5t}$  since  $r^2 - 4r - 5 = (r - 5)(r + 1) = 0$ 

1.) 
$$y'' - 4y' - 5y = 4e^{2t}$$

Guess:

2.) 
$$y'' - 4y' - 5y = t^2 - 2t + 1$$

Guess: \_\_\_\_\_

3.) 
$$y'' - 4y' - 5y = 4\sin(3t)$$

Guess:

4.) 
$$y'' - 4y' - 5y = 4\sin(3t) + 5\cos(3t)$$

Guess:

5.) 
$$y'' - 4y' - 5y = 4e^{-t}$$

Guess:

6.) 
$$y'' - 4y' - 5y = e^t + e^{-t} + 2t^3 + 3t^2 + 4\sin(3t) + 5\cos(3t)$$

Guess:

7.) 
$$y'' - 4y' - 5y = e^t + e^{-t} + 2t^3 + 3t^2 + 4\sin(3t) + 5\cos(t)$$

Guess:

8.)  $y'' - 4y' - 5y = 4(t^2 - 2t - 1)e^{2t}$ 

Guess: \_\_\_\_\_

Note homogeneous solution to y'' - 6y' + 9y = 0 is  $y = c_1 e^{3t} + c_2 t e^{3t}$  since  $r^2 - 6r + 9 = (r - 3)(r - 3) = 0$ 

9.) 
$$y'' - 6y' + 9y = 7e^{3t}$$

Guess:

10.) 
$$y'' - 6y' + 9y = 7e^{-3t}$$

Guess:

Some special cases:

11.) 
$$y'' - 5y = 4\sin(3t)$$

Best Guess: \_\_\_\_\_

12.) 
$$y'' - 4y' = t^2 - 2t + 1$$

Guess: